ELSEVIER

Brain Research 637 (1994) 357–359

BRAIN RESEARCH

Author Index

Albanese, A., see Bentivoglio, A.R. (637) 181
Allard, P.O., Rinne, J. and Marcusson, J.O.
Dopamine uptake sites in Parkinson's disease and in dementia of the Alzheimer type (637) 262
Altavista, M.C., see Bentivoglio, A.R. (637) 181
Anday, E.K., see Lien, R. (637) 249
Anderson, D.K., Dugan, L.L., Means, E.D. and Horrocks, L.A.
Methylprednisolone and membrane properties of primary cultures of mouse spinal cord (637) 119
Andrade, M., see Uphouse, L. (637) 173
Andre, P., Fascetti, F., Pompeiano, O. and White, S.R.
The muscarinic agonist, bethanechol, enhances GABA-induced inhibition of Purkinje cells in the cerebellar cortex (637) 1
Arimura, A., see Gottschall, P.E. (637) 197
Asari, S., see Date, I. (637) 50
Asin, K.E., Nikkel, A.L. and Wirtshafter, D.
Repeated D_1 receptor agonist treatment blocks cocaine-induced locomotor activity and c-*fos* expression (637) 342

Barnes, J.M. and Henley, J.M.
Quantitative analysis of the distributions of glutamatergic ligand binding sites in goldfish brain (637) 323
Barone Jr., S., see Shaughnessy, L.W. (637) 15
Bazzett, T.J. and Becker, J.B.
Sex differences in the rapid and acute effects of estrogen on striatal D_2 dopamine receptor binding (637) 163
Becker, J.B., see Bazzett, T.J. (637) 163
Bentivoglio, A.R., Altavista, M.C., Granata, R. and Albanese, A.
Genetically determined cholinergic deficiency in the forebrain of C57BL/6 mice (637) 181
Berresheim, U. and Kuhn, D.M.
Dephosphorylation of tyrosine hydroxylase by brain protein phosphatases: a predominant role for type 2A (637) 273
Billington, C.J., see Levine, A.S. (637) 242
Blair-West, J.R., Burns, P., Denton, D.A., Ferraro, T., McBurnie, M.I., Tarjan, E. and Weisinger, R.S.
Thirst induced by increasing brain sodium concentration is mediated by brain angiotensin (637) 335
Brooke, S.M., De Haas-Johnson, A.M., Kaplan, J.R. and Sapolsky, R.M.
Characterization of mineralocorticoid and glucocorticoid receptors in primate brain (637) 303
Burns, P., see Blair-West, J.R. (637) 335

Caldarola-Pastuszka, M., see Uphouse, L. (637) 173
Candy, J.M., see Shaw, P.J. (637) 297
Carlson, H., see Nilsson, P. (637) 227
Cespuglio, R., see El Kafi, B. (637) 211
Chiou, X.G., see Stephenson, D.T. (637) 97
Choi, H.L., see Stadlin, A. (637) 345
Clemens, J.A., see Stephenson, D.T. (637) 97
Comoglio, P.M., see Yamada, T. (637) 308
Condés-Lara, M., Veinante, P., Rabai, M. and Freund-Mercier, M.J.
Correlation between oxytocin neuronal sensitivity and oxytocin-binding sites in the amygdala of the rat: electrophysiological and histoautoradiographic study (637) 277
Cotman, C.W., see Su, J.H. (637) 37
Cox, L., see Stephenson, D.T. (637) 97
Culman, J., see Qadri, F. (637) 45
Cummings, B.J., see Su, J.H. (637) 37

Daikuhara, Y., see Yamada, T. (637) 308
Date, I., Yoshimoto, Y., Imaoka, T., Miyoshi, Y., Furuta, T., Asari, S. and Ohmoto, T.
Effect of host age upon the degree of nigrostriatal dopaminergic system recovery following cografts of adrenal medulla and pretransected peripheral nerve (637) 50
Davies, D.A. and Smith, M.E.
ACTH (4–10) increases quantal content at the mouse neuromuscular junction (637) 328
De Haas-Johnson, A.M., see Brooke, S.M. (637) 303
Delivoria-Papadopoulos, M., see Lien, R. (637) 249
Denton, D.A., see Blair-West, J.R. (637) 335
Dugan, L.L., see Anderson, D.K. (637) 119

Edling, O., see Qadri, F. (637) 45
Eisenach, J.C., see Li, P. (637) 287
El Kafi, B., Cespuglio, R., Leger, L., Marinesco, S. and Jouvet, M.
Is the nucleus raphe dorsalis a target for the peptides possessing hypnogenic properties? (637) 211
Endo, H., see Okamoto, M. (637) 57

Fascetti, F., see Andre, P. (637) 1
Ferraro, T., see Blair-West, J.R. (637) 335
Figueroa, J.P., see Li, P. (637) 287
Flink, R., see Nilsson, P. (637) 227
Fraser, A., see Sullivan, R.M. (637) 114
Freund-Mercier, M.J., see Condés-Lara, M. (637) 277
Furuta, T., see Date, I. (637) 50

Gadient, R.A. and Otten, U.
Expression of interleukin-6 (IL-6) and interleukin-6 receptor (IL-6R) mRNAs in rat brain during postnatal development (637) 10
Gertz, H.-J., Siegers, A. and Kuchinke, J.
Stability of cell size and nucleolar size in Lewy body containing neurons of substantia nigra in Parkinson's disease (637) 339
Gitter, B., see Stephenson, D.T. (637) 97
Gohlke, P., see Qadri, F. (637) 45
Gottschaldt, K.-M., see Vahle-Hinz, C. (637) 139
Gottschall, P.E., Tatsuno, I. and Arimura, A.
Regulation of interleukin-6 (IL-6) secretion in primary cultured rat astrocytes: synergism of interleukin-1 (IL-1) and pituitary adenylate cyclase activating polypeptide (PACAP) (637) 197
Grace, M., see Levine, A.S. (637) 242
Graham, E., see Lien, R. (637) 249
Granata, R., see Bentivoglio, A.R. (637) 181
Groome, N., see Osborne, N.N. (637) 156

Henley, J.M., see Barnes, J.M. (637) 323
Herr, D.W., see Shaughnessy, L.W. (637) 15
Hicks, T.P., see Vahle-Hinz, C. (637) 139
Hillered, L., see Nilsson, P. (637) 227
Hogarty, D.C., Tran, D.N. and Phillips, M.I.
Involvement of angiotensin receptor subtypes in osmotically induced release of vasopressin (637) 126
Horrocks, L.A., see Anderson, D.K. (637) 119
Hyde, T.M., see Ohuoha, D.C. (637) 222

0006-8993/94/$07.00 © 1994 Elsevier Science B.V. All rights reserved

Iannuzzelli, P.G., Wang, X.H., Wang, Y. and Murphy, E.H.
Axotomy-induced changes in cytochrome oxidase activity in the cat trochlear nucleus (637) 267
Imaoka, T., see Date, I. (637) 50
Ince, P.G., see Shaw, P.J. (637) 297
Inoue, A., see Sato, E. (637) 133
Ishibashi, S., see Sato, E. (637) 133
Itoshima, T., see Masui, A. (637) 331

Jiang, Y.Q., Pickett, J. and Oblinger, M.M.
Comparison of changes in β-tubulin and NF gene expression in rat DRG neurons under regeneration-permissive and regeneration-prohibitive conditions (637) 233
Johnson, M., see Shaw, P.J. (637) 297
Jouvet, M., see El Kafi, B. (637) 211

Kaplan, J.R., see Brooke, S.M. (637) 303
Kato, N., see Masui, A. (637) 331
Kaumann, A., see Wahl, M. (637) 204
Kavaliers, M., see Saucier, D.M. (637) 292
Kita, H., see Naito, A. (637) 317
Kleinman, J.E., see Ohuoha, D.C. (637) 222
Knable, M.B., see Ohuoha, D.C. (637) 222
Komiyama, A. and Suzuki, K.
Progressive dysfunction of twitcher Schwann cells is evaluated better in vitro than in vivo (637) 106
Kramer, R.M., see Stephenson, D.T. (637) 97
Kuchinke, J., see Gertz, H.-J. (637) 339
Kuhn, D.M., see Berresheim, U. (637) 273
Kurokawa, T., see Sato, E. (637) 133

Lærum, H. and Storm, J.F.
Hippocampal long-term potentiation is not accompanied by presynaptic spike broadening, unlike synaptic potentiation by K^+ channel blockers (637) 349
Leger, L., see El Kafi, B. (637) 211
Levine, A.S., Grace, M., Portoghese, P.S. and Billington, C.J.
The effect of selective opioid antagonists on butorphanol-induced feeding (637) 242
Li, P., Tong, C., Eisenach, J.C. and Figueroa, J.P.
NMDA causes release of nitric oxide from rat spinal cord in vitro (637) 287
Lien, R., Mishra, O.P., Graham, E., Delivoria-Papadopoulos, M. and Anday, E.K.
Alteration of brain cell membrane function following cocaine exposure in the fetal guinea pig (637) 249

Manetta, J.V., see Stephenson, D.T. (637) 97
Marcusson, J.O., see Allard, P.O. (637) 262
Marinesco, S., see El Kafi, B. (637) 211
Masui, A., Kato, N., Itoshima, T., Tsunashima, K., Nakajima, T. and Yanaihara, N.
A novel synthetic phyllolitorin analogue [desTrp^3,Leu^8]phyllolitorin inhibits scratching behavior induced by neuromedin C in rats (637) 331
Maswood, S., see Uphouse, L. (637) 173
Matthews, J.N.S., see Shaw, P.J. (637) 297
Matui, T., see Yoshii, K. (637) 68
May, P.C., see Stephenson, D.T. (637) 97
McBurnie, M.I., see Blair-West, J.R. (637) 335
McGeer, E.G., see Yamada, T. (637) 308
McGeer, P.L., see Yamada, T. (637) 308
Means, E.D., see Anderson, D.K. (637) 119
Migani, P.
Kainic acid neurotoxicity in the goldfish optic tectum. No protection by the NMDA receptor antagonist MK801 and partial protection by abolition of a tectal excitatory input (637) 313
Milgram, N.W., see Racine, R.J. (637) 73
Milgram, N.W., see Racine, R.J. (637) 83
Mishra, O.P., see Lien, R. (637) 249
Miyoshi, Y., see Date, I. (637) 50
Moore, N., see Uphouse, L. (637) 173
Mori, S., see Okamoto, M. (637) 57
Morimoto, Y., see Morio, Y. (637) 190
Morio, Y., Tanimoto, H., Yakushiji, T. and Morimoto, Y.
Characterization of the currents induced by sigma ligands in NCB20 neuroblastoma cells (637) 190
Mundy, W.R., see Shaughnessy, L.W. (637) 15
Murphy, E.H., see Iannuzzelli, P.G. (637) 267

Naito, A. and Kita, H.
The cortico-nigral projection in the rat: an anterograde tracing study with biotinylated dextran amine (637) 317
Nakajima, T., see Masui, A. (637) 331
Nikkel, A.L., see Asin, K.E. (637) 342
Nilsson, P., Ronne-Engström, E., Flink, R., Ungerstedt, U., Carlson, H. and Hillered, L.
Epileptic seizure activity in the acute phase following cortical impact trauma in rat (637) 227
Nordhausen, C.T., Rousche, P.J. and Normann, R.A.
Optimizing recording capabilities of the Utah Intracortical Electrode Array (637) 27
Normann, R.A., see Nordhausen, C.T. (637) 27

Oblinger, M.M., see Jiang, Y.Q. (637) 233
Ohmoto, T., see Date, I. (637) 50
Ohuoha, D.C., Knable, M.B., Wolf, S.S., Kleinman, J.E. and Hyde, T.M.
The subnuclear distribution of 5-HT$_3$ receptors in the human nucleus of the solitary tract and other structures of the caudal medulla (637) 222
Okamoto, M., Mori, S. and Endo, H.
A protective action of chondroitin sulfate proteoglycans against neuronal cell death induced by glutamate (637) 57
Osborne, N.N., Wood, J. and Groome, N.
The occurrence of three calcium-independent protein kinase C subspecies (δ, ϵ and ζ) in retina of different species (637) 156
Otten, U., see Gadient, R.A. (637) 10

Parsons, A.A., see Wahl, M. (637) 204
Penev, P.D., Zee, P.C. and Turek, F.W.
Monoamine depletion blocks triazolam-induced phase advances of the circadian clock in hamsters (637) 255
Phillips, M.I., see Hogarty, D.C. (637) 126
Pickett, J., see Jiang, Y.Q. (637) 233
Pompeiano, O., see Andre, P. (637) 1
Portoghese, P.S., see Levine, A.S. (637) 242
Prat, M., see Yamada, T. (637) 308

Qadri, F., Edling, O., Wolf, A., Gohlke, P., Culman, J. and Unger, T.
Release of angiotensin in the paraventricular nucleus in response to hyperosmotic stimulation in conscious rats: a microdialysis study (637) 45

Rabai, M., see Condés-Lara, M. (637) 277
Racine, R.J., Teskey, G.C., Wilson, D., Seidlitz, E. and Milgram, N.W.
Post-activation potentiation and depression in the neocortex of the rat: II. Chronic preparations (637) 83
Racine, R.J., Wilson, D., Teskey, G.C. and Milgram, N.W.
Post-activation potentiation in the neocortex: I. Acute preparations (637) 73
Rinne, J., see Allard, P.O. (637) 262
Ronne-Engström, E., see Nilsson, P. (637) 227
Rousche, P.J., see Nordhausen, C.T. (637) 27

Sapolsky, R.M., see Brooke, S.M. (637) 303
Sato, E., Inoue, A., Kurokawa, T. and Ishibashi, S.
Early changes in glucose metabolism in the cerebrum of senescence accelerated mouse: involvement of glucose transporter (637) 133
Saucier, D.M. and Kavaliers, M.
Antagonistic effects of the selective, competitive *N*-methyl-D-aspartate (NMDA) receptor antagonist, NPC 12626, on kappa opiate-induced analgesia in male deer mice (637) 292
Schilling, L., see Wahl, M. (637) 204
Seidlitz, E., see Racine, R.J. (637) 83
Sharp, J.D., see Stephenson, D.T. (637) 97
Shaughnessy, L.W., Barone Jr., S., Mundy, W.R., Herr, D.W. and Tilson, H.A.
Comparison of intracranial infusions of colchicine and ibotenic acid as models of neurodegeneration in the basal forebrain (637) 15
Shaw, P.J., Ince, P.G., Matthews, J.N.S., Johnson, M. and Candy, J.M.
N-Methyl-D-aspartate (NMDA) receptors in the spinal cord and motor cortex in motor neuron disease: a quantitative autoradiographic study using [^{3}H]MK-801 (637) 297

Siegers, A., see Gertz, H.-J. (637) 339
Smith, M.E., see Davies, D.A. (637) 328
Stadlin, A., Choi, H.L. and Tsang, D.
Postnatal changes in [^{3}H]mazindol-labelled dopamine uptake sites in the rat striatum following prenatal cocaine exposure (637) 345
Stephenson, D.T., Manetta, J.V., White, D.L., Chiou, X.G., Cox, L., Gitter, B., May, P.C., Sharp, J.D., Kramer, R.M. and Clemens, J.A.
Calcium-sensitive cytosolic phospholipase A_2 (cPLA$_2$) is expressed in human brain astrocytes (637) 97
Storm, J.F., see Lærum, H. (637) 349
Su, J.H., Cummings, B.J. and Cotman, C.W.
Subpopulations of dystrophic neuritis in Alzheimer's brain with distinct immunocytochemical and argentophilic characteristics (637) 37
Sullivan, R.M., Fraser, A. and Szechtman, H.
Asymmetrical orientation to edges of an openfield: modulation by striatal dopamine and relationship to motor asymmetries in the rat (637) 114
Suzuki, K., see Komiyama, A. (637) 106
Szechtman, H., see Sullivan, R.M. (637) 114

Tanimoto, H., see Morio, Y. (637) 190
Tarjan, E., see Blair-West, J.R. (637) 335
Tatsuno, I., see Gottschall, P.E. (637) 197
Teskey, G.C., see Racine, R.J. (637) 73
Teskey, G.C., see Racine, R.J. (637) 83
Tilson, H.A., see Shaughnessy, L.W. (637) 15
Tong, C., see Li, P. (637) 287
Tran, D.N., see Hogarty, D.C. (637) 126
Tsang, D., see Stadlin, A. (637) 345
Tsubouchi, H., see Yamada, T. (637) 308
Tsunashima, K., see Masui, A. (637) 331
Turek, F.W., see Penev, P.D. (637) 255

Unger, T., see Qadri, F. (637) 45
Ungerstedt, U., see Nilsson, P. (637) 227
Uphouse, L., Caldarola-Pastuszka, M., Maswood, S., Andrade, M. and Moore, N.
Estrogen-progesterone and 8-OH-DPAT attenuate the lordosis-inhibiting effects of the 5-HT$_{1A}$ agonist in the VMN (637) 173

Vahle-Hinz, C., Hicks, T.P. and Gottschaldt, K.-M.
Amino acids modify thalamo-cortical response transformation expressed by neurons of the ventrobasal complex (637) 139
Veinante, P., see Condés-Lara, M. (637) 277

Wahl, M., Schilling, L., Parsons, A.A. and Kaumann, A.
Involvement of calcitonin gene-related peptide (CGRP) and nitric oxide (NO) in the pial artery dilatation elicited by cortical spreading depression (637) 204
Wang, X.H., see Iannuzzelli, P.G. (637) 267
Wang, Y., see Iannuzzelli, P.G. (637) 267
Weisinger, R.S., see Blair-West, J.R. (637) 335
White, D.L., see Stephenson, D.T. (637) 97
White, S.R., see Andre, P. (637) 1
Wilson, D., see Racine, R.J. (637) 73
Wilson, D., see Racine, R.J. (637) 83
Wirtshafter, D., see Asin, K.E. (637) 342
Wolf, A., see Qadri, F. (637) 45
Wolf, S.S., see Ohuoha, D.C. (637) 222
Wood, J., see Osborne, N.N. (637) 156

Yakushiji, T., see Morio, Y. (637) 190
Yamada, T., Tsubouchi, H., Daikuhara, Y., Prat, M., Comoglio, P.M., McGeer, P.L. and McGeer, E.G.
Immunohistochemistry with antibodies to hepatocyte growth factor and its receptor protein (c-MET) in human brain tissues (637) 308
Yanaihara, N., see Masui, A. (637) 331
Yoshii, K. and Matui, T.
Taste responses of bullfrog to pungent stimuli (637) 68
Yoshimoto, Y., see Date, I. (637) 50

Zee, P.C., see Penev, P.D. (637) 255